| Notice of Allowability | Application No. | Applicant(s) |
|--|--|--|
| | 10/765,482 | SHADDUCK, JOHN H. |
| | Examiner | Art Unit |
| | Ahmed M. Farah | 3739 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to the applicant's amendment filed on July 19, 2005. | | |
| 2. The allowed claim(s) is/are <u>1-7 and 13-16</u> . | | |
| 3. The drawings filed on 27 January 2004 are accepted by the Examiner. | | |
| 4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have | e been received. e been received in Application No | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date | MENT of this application. Initted. Note the attached EXAMINE fes reason(s) why the oath or declared by the submitted. In the son's Patent Drawing Review (PTC) | R'S AMENDMENT or NOTICE OF ration is deficient. |
| (b) ☐ including changes required by the attached Examiner' Paper No./Mail Date | | Office action of |
| Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t | .84(c)) should be written on the draw the header according to 37 CFR 1.121 | rings in the front (not the back) of (d). |
| 7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT | Sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC | must be submitted. Note the CAL MATERIAL. |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 5/19/2005 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ⊠ Interview Summar Paper No./Mail D 7. ⊠ Examiner's Amend | ate <u>August 16, 2005</u> . dment/Comment nent of Reasons for Allowance |
| U.S. Patent and Trademark Office | | A. Farah, Primary Examiner, AU: 8739 August 16, 2095 |

Application/Control Number: 10/765,482

Art Unit: 3739

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andrew P. Cernota (Reg. No. 52,711) on August 16, 2005.

The application has been amended as follows: Please rewrite claim 13 as the following:

Claim 13 (<u>currently amended</u>): A method for applying energy to a patient's trabecular meshwork, comprising the steps of:

- (a) localizing microimplantables with a gold surface within spaces of the meshwork;
- (a) (b) non-invasively irradiating the meshwork region with coherent light pulses having a wavelength between 380 nm and 820 nm;
- (b) (c) wherein the power level, pulse, and pulse interval are selected to cause the microimplantables with the gold surface to absorb energy and thereby apply energy to surrounding media.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ahmed M. Farah whose telephone number is (571) 272-

Art Unit: 3739

4765. The examiner can normally be reached on Mon-Thur. 9:30 AM-7:30 PM, and 9:30 AM - 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eleni Mantis-Mercader can be reached on (571) 272-4740. The fax phone number for the organization where this application or proceeding is assigned is (571) 272-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ahmed M Farah Primary Examiner Art Unit 373/9/

August 16, 2005.